

SÉRIE L804 - ECA

LSOH 4-wire cables for high frequency transmissions 5/10 - L804 series


BENEFITS

- ACOME's L804 series cables have been used for decades in fixed Telecom networks in France, Africa and the Middle East.
- They are used in France to unbundle the historical Telecom network offered by Internet Service Providers (ISPs).
- From the outset, these cables have satisfied the highest quality transmission requirements.
 They still provide very high speed transmission for ADSL, ADSL2+ and VDSL protocols of Internet Service Providers (ISPs).

APPLICATIONS

- L804 series cables are designed to ensure connections between the general distributor and the transmission equipment.
- They are perfectly adapted to the connections between the DSLAM and general distributor to ensure flexible and optimal unbundling functions.
- These cables have fibre counts of 32 and 128 pairs with 5/10 conductors.

GENERAL CHARACTERISTICS



Conductor: Red copper wire 5/10
Insulation: Double layer polyethylene

3. Assembly: Pairs

4. Shielding: Tinned copper continuity wire5. Outer jacket: Low Smoke Zero Halogen

General

Item code	Range	Assembly	Number of pairs	Diameter of the conductor	Marking	Colour code
R73590	L804	Pairs	32 p.		ACOME	Std
R73630	L804	Pairs	128 p.		ACOME	Std

Code couleurs

Chaque faisceau de 8 paires :

	Couleur du fil isolé			
Paires	Fil 1	Fil 2		
1	Blanc	Bleu		
2	Blanc	Jaune		
3	Blanc	Marron		
4	Blanc	Noir		

	Couleur du fil isolé			
Paires	Fil 1	Fil 2		
5	Blanc	Vert		
6	Blanc	Orange		
7	Blanc	Gris		
8	Blanc	Violet		

Repérage des faisceaux :

Faisceaux	Couleurs
1	Blanc
2	Bleu
3	Jaune
4	Marron

NORMS AND STANDARDS

General

- UTE C 93-530 & UTE C 93-531-2
- ROHS 2011/65/UE
- REACH 1907/2006/EC

Euroclass

Eca

RECOMMENDATIONS

Storage and installation

The cables are supplied with protective wrapping that must be maintained until the product has been fully used.